

RULE BOOK DISCLAIMER

The rules and/or regulations set forth herein are designed to provide for the orderly conduct of racing events and to establish minimum acceptable requirements for such events. These rules shall govern the condition of all events, and by participating in these events, all participants are deemed to have complied with these rules. **NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM PUBLICATIONS OF OR COMPLIANCE WITH THESE RULES AND OR REGULATIONS.** They are intended as a guide for the conduct of the sport and are in no way a guarantee against injury or death to a participant, spectator, or official.

The race director shall be empowered to permit reasonable and appropriate deviation from any of the specifications herein or impose any further restrictions that in his/her opinion does not alter the minimum acceptable requirements. **NO EXPRESSED OR IMPLIED WARRANTY OF SAFETY SHALL RESULT FROM SUCH ALTERATION OF SPECIFICATIONS.** Any interpretation or deviation of these rules is left to the discretion of the officials. Their decision is final.

The Management of South Carolina Motorplex & South Carolina Mudplex.

South Carolina Mud-Plex Track and Class Rules

Classes

Street Stock 0 to 39.5 Tire Class A

Full Stock Interior (No Racing Seats) Stock Means Stock

Headlights and Tail lights must work. (No Fuel Cells)

Front and Rear Bumper Required

Must have full Exhaust (Headers Ok)

Must have Motor that came in truck. (Aluminum Intakes are ok)

This is a Beginner Class and will be enforced!!!

If track official says its past stock then you go to modified Dot.

Combined Times or Furthest Distance Combined

Modified DOT 0 to 36 Tire Class B

Factory Style Frame (No Tube Chassis)

Body Swaps Ok

Full Body

Lexan Windows are ok. Bed can not be gutted. Fenders may be trimmed for tire clearance.

Not gutted doors. Sheetmetal dash is ok.

Any Transfer Case

Any Cubic Inch

Any Suspension

No Power adders

No Cut Tires (Must be on DOT Approved Tires) (Tire Stagger is Ok)

Kill Switch in rear of truck Required!!! Not an Option!!!

ROLL CAGES REQUIRED!!! Not an Option!!! (NOT A ROLL BAR IN THE BED OF THE TRUCK!!!)

Safety Gear will be enforced. Helmet Neck Brace SFI Rated Jacket. No Shorts or open toed Shoes!!!

If you want to run in Both Modified Classes with same driver. You can only place in 1 class!!! If you have 2 drivers you can place in both class!!! Combined Times or Furthest Distance Combined

Modified Dot 0 to 44 Class C

Factory Style Frame (No tube Chassis)

Body Swaps Ok

Full Body Lexan Windows are ok. Bed cannot be gutted. Fenders may be trimmed for tire Clearance

No Gutted doors. Sheetmetal Dash ok.

Any Transfer case

Any Cubic Inch

Any Suspension

No Power Adders

No Cut Tires (Must Be on Dot Approved Tires) (Tire Stagger Is Ok)

Kill Switch in Rear of Truck Required!!! Not an Option!!!

Roll Cages Are REQUIRED!!! Not an Option!! (NOT A ROLL BAR IN THE BED OF THE TRUCK)

If you want to run in Both Modified classes with same driver. You can only place in 1 class!!! If you have 2 drivers you can place in both classes!!!

Combined Times or Furthest Distance

Unlimited (Race Class) D

Run What YOU Brung!!!!

Anything goes!!!

Any Tire!!!

Must have all Safety Gear (FULL SUIT. Helmet Neck Brace (Hans Recommended) Shoes)

Kill Switch at rear of truck Required!!! Not an Option!!!

Roll Cages are Required!!!

Combined Time or Furthest Distance!!!

Super Truck Class E

Axle Rule 1 ¼ ton Axle and Below.

Must have V tread tires

Any Cubic Inch

Any Suspension

Power adders are allowed!!

Kill Switches at rear of Truck is Required!! Not an Option!!!

Roll Cages are Required!!!

All safety Gear is Required!!! Helmet Neck Brace Fire Suit!!! Hans Recommended!!!

Combined Times or Furthest Distance!!

Mega Truck Class F

Axle Rule 2.5 ton and Bigger

Must Have V Tread Tires

Any Cubic Inch

Any Suspension

Power Adders are allowed!!!

Kill Switch at rear of truck Required!! Not an Option!!

Roll cages Required!!! Helmet Neck Brace Fire Suit!! Hans Recommended!!!!

Combined Times or Furthest Distance!!!